





Unique oval pan feeding system for broilers.





## 1 FANTASTIC START FOR DAY-OLD CHICKS!

- Low pan edge for easy access to the feed.
- The large feeding surface offers optimal eating comfort.
- 360° flooding keeps the HaiKoo™ Pan full of feed.
- The special grill design keeps young birds out of the pan after 10 days.
- Individual feed slots help to attract birds.



## 2 CONTROL FEED COSTS!

- The unique, patented, HaiKoo™ Pan with high anti-waste rim practically eliminates feed waste, even from day one.
- The control unit ensures fast, frequent delivery of fresh feed.
- Handy feed level adjustment ring is easy to set (A).
- The deep eating area in the pan keeps feed centered.
- Special cone wings reduce waste from flicking of feed (B).

# HaiKoo™

## GET THE HAIKOO™ FEEDER FOR MORE FEEDER SPACE AND BETTER UNIFORMITY!

The HaiKoo™ Feeder has less feed stored in the pan's cone. Combined with a fast drive unit, this provides fast filling of all pans. The 16 large feeding spaces make sure all birds can easily get to the feed (E). A 12-strut version provides even more eating space for heavy birds (F).



### 3 45 INCHES (1140 MM) OF FEEDING SPACE!

- Feeds up to 14% more birds per pan than most standard broiler pans (C).
- 12-strut grill is ideal for heavy broilers (F).
- Ideal for controlled growth through light-scheme feeding, restricted feeding and meal-time feeding.
- Ideal for increasing bird density without having to add feeder lines.

### 4 EASY TO CLEAN AND DURABLE!

- Feeder assembly features an open structure with a smooth, closed rim for easier and more thorough cleaning.
- Hinged pan (D) is made of highly durable plastics which resist commonly used cleansing agents.
- The HaiKoo™ Feeder features a 10-year pro-rated warranty\* on the pans and augers.

(\* See Agile's complete written warranty for full warranty details.

| SPECIFICATIONS                 |                              | Light<br>(Up to 4 lbs./1.8 kg)    | Heavy<br>(Up to 9 lbs./4 kg) |
|--------------------------------|------------------------------|-----------------------------------|------------------------------|
| Number of birds/pan            |                              | 57 - 91                           | 57 - 85                      |
| <b>GENERAL TECHNICAL INFO</b>  |                              |                                   |                              |
| Grill:                         | Struts                       | 16                                | 12                           |
|                                | Opening                      | 1.85 inches (47 mm)               | 2.68 inches (68.1 mm)        |
| Pan:                           | Material                     | Polypropylene (support in nylon)  |                              |
|                                | Rim height (including grill) | 2.56 inches (65 mm)               |                              |
|                                | Dimensions                   | 17.3 x 11.4 inches (440 x 290 mm) |                              |
|                                |                              | <b>Ad libitum</b>                 | <b>Controlled growth</b>     |
| Transport:                     | Drive unit                   | 365 rpm                           | 669 rpm                      |
| Transport capacity per hour:   |                              | 1050 lbs. (476 kg)                | 1850 lbs. (840 kg)           |
| Outside diameter of tubes:     |                              | 1.75 inches (44.5 mm)             |                              |
| Maximum length per fill point: |                              | 500 feet (150 m)                  |                              |
| Suspension:                    |                              | Every 10 feet (3 m)               |                              |

Our entire range includes feed bins, feed transport systems, drinking and feeding systems for poultry.



**FRESH COMBINATION™**  
complete range of galvanized feed bins.


**FLEX-line™**  
complete range of feed transport systems.

**SPARK-line™**  
complete range of poultry drinking systems.

**ProTerra®**  
fans, winches, inlets and evaporative cooling.

The HaiKoo™ Feeder is an exclusive ROXELL® product.

ROXELL® reserves the right to make modifications to improve its products or systems, without prior notification.



Visit our Web site!  
[www.roxellusa.com](http://www.roxellusa.com)

At ROXELL® you can count on excellent assistance and service by experienced distributors and our own personnel!

[www.roxellusa.com](http://www.roxellusa.com) **ROXELL®** 800-704-7356



Agile Mfg., Inc., A Subsidiary of CTB, Inc.  
720 Industrial Park Road, Anderson, Missouri 64831 USA  
Tel. 800-704-7356 • Fax 417-845-6069 • E-mail: [sales@agilemfg.com](mailto:sales@agilemfg.com)